

PPC response template for IN002/15W and IN026/15 (New JECs) – Responses to be emailed to grcf@aemo.com.au by **4 September 2020**

Review comments submitted by: **ATCO Gas Pty Ltd**

Date: **4-Sep-2020**

Contact Person: **Joe Sanches**

If your organisation **only participates in WA** then complete only sections 1A and 2. Section 3 is optional.

If your organisation **only participates in east-coast jurisdictions** then complete only sections 1B and 2. Section 3 is optional.

If your organisation **participates in both WA and east-coast jurisdictions** complete sections 1A, 1B (*note: if your assessment of the PPC is the same for 1A and 1B then write "as above" in section 1B*) and 2. Section 3 is optional.

Section 1A - General Comments on the Proposed Procedure Change **for WA** (IN002/15W).

Topic	Please Provide Response Here
<p>Sections 1 to 9 of the PPC sets out details of the proposal.</p> <p><u>In respect of the changes proposed for WA</u>, does your organisation support AEMO’s assessment of the proposal?</p> <p>If no, please specify areas in which your organisation disputes AEMO’s assessment (include PPC section reference number) of the proposal and include information that supports your organisation’s rationale for not supporting AEMO’s assessment.</p>	<p>ATCO supports the changes proposed in IN002/15W. As this proposal requires an uplift from WA’s schema r13 to a version beyond r38 for its successful implementation, ATCO’s IT systems would require an upgrade with costs estimated to be medium-high. However, ATCO believes the incorporation of this initiative into a consolidated program of works (which include gasmeterstatus and CDN/CDR initiatives for WA) would provide net benefits for the WA gas market.</p>

Section 1B - General Comments on the Proposed Procedure Change for east-coast jurisdictions. (IN026/15)

Topic	Please Provide Response Here
<p>Sections 1 to 9 of the PPC sets out details of the proposal.</p> <p><u>In respect of the changes proposed in east-coast jurisdictions</u>, does your organisation supports AEMO's assessment of the proposal?</p> <p>If no, please specify areas in which your organisation disputes AEMO's assessment (include PPC section reference number) of the proposal and include information that supports your organisation's rationale for not supporting AEMO's assessment.</p>	

Section 2 - Feedback on the documentation changes in the Attachments of the PPC.

Please note which references you should provide comment on given your jurisdiction are shown in gold:

Document	NSW/ACT	QLD	SA	VIC	WA
Ref # 1 - Participant Build Pack 1 Table of Transactions (JEC tab)					
Ref #2 – Gas Interface Protocol - Victoria					
Ref #3 – Gas Interface Protocol - Queensland					
Ref #4 – NSW/ACT specific Participant Build Pack 5					
Ref #5 – Gas Interface Protocol – NSW/ACT					
Ref #6 – B2B Service Order Specifications – Part 2					
Ref #7 – B2B Service Order Specifications - Part 1					
Ref #8 – AEMO Specification Pack - Specification Pack Usage Guidelines					

Participants are to complete the relevant columns below in order to record their response.

Ref # 1 - Participant Build Pack 1 - Table of Transactions, Table of Elements, List of Job Enquiry Codes, Address Elements and MIRN and Meter states.

Row # Column # in spreadsheet	Issue / Comment	Proposed text Red strikeout means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Ref #2 – Gas Interface Protocol - Victoria

Section #	Issue / Comment	Proposed text Red strikeout means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Ref #3 – Gas Interface Protocol - Queensland

Section #	Issue / Comment	Proposed text Red strikeout means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Ref #4 – NSW/ACT specific Participant Build Pack 5

Section #	Issue / Comment	Proposed text Red strikeout means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Ref #5 – Gas Interface Protocol – NSW/ACT

Section #	Issue / Comment	Proposed text Red strikeout means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Ref #6 – B2B Service Order Specifications – Part 2

Section #	Issue / Comment	Proposed text Red strikeout means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Ref #7 – B2B Service Order Specifications - Part 1

Row # Column # in spreadsheet	Issue / Comment	Proposed text Red strikeout means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Ref #8 – AEMO Specification Pack- Specification Pack Usage Guidelines

Section #	Issue / Comment	Proposed text Red strikeout means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Section 3¹ – Additional feedback that is not part of this consultation but warrants further investigations / discussions.

Topic	Please Provide Response Here
Does your organisation have any feedback / suggestions that closely relate to the scope or impacts this consultation, but the nature of the feedback / suggestion warrant further investigations / discussion? If so, please included your feedback / suggestions.	

¹ Note - This feedback will be reviewed by AEMO at a later date, therefore will not be used for this consultation. AEMO will complete a preliminary assessment of the feedback assess the feedback and it may then form part of another consultation or the annual prioritisation process