

r5 -> r6

Acknowledgements_r6.xsd

- ReceiptIdentifier now has a minimum length of 1 character

aseXML_r6.xsd

- Changed aseXML namespace
- Changed included filenames to match aseXML namespace change

CATSReports_r6.xsd

- Report request parameters brought in line with as-built system
- Report request parameters/format added for C7 (New Participant Access)
- CATSNMIDiscoveryStatisticsReportParameters and CATSNMIDiscoveryContentReportParameters combined in CATSNMIDiscoveryReportParameters

CATSTableReplication_r6.xsd

- CATSStatusCodeRow renamed to CATSChangeStatusCodeRow for consistency
- Typographical error in Identifier element of RoleIdentifierRow corrected
- TimeOfChange made optional on CATSJurisdictionalRuleRow in line with database schema
- ParticipantRolesRow added to allow replication of roles played by a participant
- BusinessDayCount removed from NationalCalendarRow in line with database schema
- Order of ElectricityNMIRoleGroup reversed in line with the order in the standing data
- TransactionDate made optional on CATSChangeRequestRow in line with database schema
- Format of CATSDataRequestRow finalised

ClientInformation_r6.xsd

- No change

Common_r6

- Added type for release r6
- Removed the default value for the context attribute on PartyIdentifier
- Removed "NEM" as a valid value for the context attribute on PartyIdentifier

CustomerTransfer_r6

- No change

Electricity_r6

- No change

Events_r6

- Removed restriction on length of Event explanation to allow for verbose schema validation errors
- Added a global element called Event to allow reporting of transport level errors (see additional sample files for examples of the use of this new element)

Gas_r6.xsd

- Updated version provided by VENCORP

Header_r6.xsd

- MessageIdentifier now has a minimum length of 1 character

MDMTRepd_r6.xsd

- Changed terminology to refer to a settlement case rather than a settlement run
- Increased range of settlement case identifiers
- All As At dates require both date and time
- RM7 – MDP and DataType now mandatory

- RM13 – DataType added and mandatory
- RM14 - LoadDates now require both date and time, ReportNonZeroDifference is mandatory, DataType added and mandatory
- RM15 – DataType added and mandatory, NMI added and optional
- RM18 – As At Date is now mandatory
- RM20 – Choice between settlement case and As At Date, Profile Name is optional

MeterDataManagement_r6.xsd

- Changed CSV column name from MDVersionDate to MDPVersionDate in line with terminology used within MSATS
- Changed Period column names to be two digits, e.g. Period01, Period02, etc.
- Changed use of megaWatts to kilowatts
- Restructured CSV comments to allow documentation of column headers for different markets
- Removed comment re finalisation of MeterDataResponse transaction
- Added <LoadDate> element to MeterDataResponse transaction and adjust version accordingly

NMIDataAccess_r6.xsd

- No change

Reports_r6.xsd

- No change

TableReplication_r6.xsd

- Element indicating status of row (active/inactive) changed from <Status> to <RowStatus> to avoid conflict with row type definitions

Transactions_r6.xsd

- TransactionIdentifier now has a minimum length of 1 character

****_r6.xml***

- All - changed namespace of root element
- All - changed schemaLocation to match namespace change
- All – added market element in <Header>

Additional Examples

- MessageTooBigFailure, UncompressionFailure, ValidationFailure and WellFormedFailure added as examples of the use of <Event> in reporting transport level errors
- Seq*.xml included to show sequence associated with the submission of a change request, the submission of an objection to the change request, withdrawal of the objection and finally withdrawal of the change request
- MeterDataResponseConsumption shows the second level MDM response to submission of meter data

Modified Examples

- Replication examples use <RowStatus> rather than <Status>