



B2B PROCEDURES ERRATA:

CORRECTIONS TO ERRORS IN B2B PROCEDURES PUBLISHED 6 MARCH 2017

PREPARED BY: AEMO Markets
VERSION: 1.1
EFFECTIVE DATE: 01 December 2017
STATUS: FINAL

Approved for distribution and use by:

APPROVED BY: Information Exchange Committee (IEC)

DATE: 19 / 10 / 2017



VERSION RELEASE HISTORY

Version	Date	Author	Comments
1.0	1/8/2017	AEMO	IEC approval to publish B2B Procedure corrections in Errata
1.1	26/9/2017	AEMO	Added further corrections for IEC Approval
1.2	09/10/17	AEMO	Added further corrections for IEC Approval



CONTENTS

1.1.	Purpose and Scope	4
2.	SERVICE ORDER PROCESS	4
3.	CUSTOMER AND SITE DETAILS NOTIFICATION	5
4.	METER DATA PROCESS	6
5.	ONE WAY NOTIFICATION	6
6.	TECHNICAL DELIVERY SPECIFICATION	6

INTRODUCTION

1.1. Purpose and Scope

The purpose of this Errata is to update the procedures published on 6 March 2017. The scope is limited to errors and corrections identified in the period from 6 March to the publication date of this Errata. B2B Guide will be updated separately by the IEC before 1 December and therefore corrections to the B2B guide are not dealt with in this document.

2. SERVICE ORDER PROCESS

- (A) 2.1 Table 3 and 4.1 Table 13; Service Order Subtype change to be 'Disconnect at Pillar-Box Pit Or Pole-Top' from current 'Disconnect at Pillar-Box PitOrPole-Top' to align with schema.
- (B) 2.1 Table 3 ; Replace 'Meter Investigation-Meter Test' with 'Meter Investigation-Test'
- (C) 2.1 Table 3 ; Re-energisation, Recipient discretion, Description of use replace "practise" with "practice"
- (D) 2.1 Table 3; Meter Investigation-Inspect Description add "field" after special instruction
- (E) Add new section 2.8;
2.8 Delivery priorities
a. 'High Priority' ServiceOrderRequests are defined as same day or next day Re-energisations or cancellations of same day Re-energisations or De-energisations.
- (F) **2.14 Table 5 ExceptionCodes Usage Rules – change "Infrastructure" to "infrastructure" (make "I" lowercase)**
- (G) 4. New clause (b) – A participant cannot reject a Service Order Request or Response simply because the initiator populates A field that is non-mandatory or not required denominated by "N" in the following tables:
- (H) 4.1 Table 13 ConfirmedDe-Energisation format incorrect syntax - Change format from 'YES/NO' to 'YESNO' (remove "/")
- (I) 4.1 Table 13; LlifeSupport format incorrect syntax - Change format from 'YES/NO' to 'YESNO' (remove "/")
- (J) 4.1 Table 13 CustomerConsultationRequired format incorrect syntax - Change format from 'YES/NO' to 'YESNO' (remove "/")
- (K) 4.1 Table 13 REC-AttendanceRequired format incorrect syntax - Change format from 'YES/NO' to 'YESNO' (remove "/")
- (L) 4.1 Table 13 MeterInstallCode – remove "As per MSATS Not Required for a Cancel"

- (M) 4.1 Table 13 add new column = “Change Timeswitch Settings”. Element characteristics for Change Timeswitch Settings to match Meter Investigation (ie ActionType – “M” etc)

Field	Format	Definition	Change Timeswitch Settings*
<i>ActionType</i>	VARCHAR(7)	A code used to indicate: New = new <u>ServiceOrderRequest</u> Cancel = cancel a previously raised <u>ServiceOrderRequest</u> Replace = replacement <u>ServiceOrderRequest</u> for an incorrectly rejected <u>ServiceOrderRequest</u> .	M

- (N) 4.1 Table 13 – Change NMI for Supply Service Works Allocate NMI from “O” to “N”. In Definition replace “Mandatory” with “Required”
- (O) 4.1 Table 13 – MeteringRequired – add “Other” to list of example values
- (P) 4.2 Table 14 Service Order Transaction (Exception Code field) – change “Infrastructure” to “infrastructure” (make “I” lowercase)

3. CUSTOMER AND SITE DETAILS NOTIFICATION

- (A) 3.1(f) “Timing Periods are defined in 0” – changed to “Timing Periods are defined in Table 4”
- (B) 4.6(a) add “[Guidance Note 2]” and “Recipient(s)” to be replaced by “DNSP”.
- (C) Additional clause 4.6 (e) : [Guidance Note 1] The Current Retailer must send a Site Access Notification to Recipient(s) other than the DNSP as agreed whenever they become aware of Site Access changes.



4. METER DATA PROCESS

- (A) 2.2.3 (i) add “and the NERR”

5. ONE WAY NOTIFICATION

- (A) 3.1 (d) - DELETE CLAUSE
- (B) 4.12 Table 4 CSVNotificationDetail; change format from 'DATA' to 'CSVDATA'
- (C) 4.2.3 Table 8 SupplyOn format change from “CHAR(1)” to “YESNO”
- (D) 4.2.4 Table 9 GeneralSupply format change from “VARCHAR(3)” to “YESNO”
- (E) 4.2.4 Table 9 ControlledLoad format change from “VARCHAR(3)” to “YESNO”
- (F) Various references change “MeterFaultandIssueNotification” to “MeterFaultAndIssueNotification”
- (G) 4.2.2 Table 7 , 4.2.3 Table 8, 4.2.4 Table 9, 4.2.5 Table 10– Change NMI checksum from “M” to “N”

6. TECHNICAL DELIVERY SPECIFICATION

- (A) 5.5.3 Access methods - add sentence; “Participants using only FTP will only be able to connect via MarketNet, while those using Webservices can connect via either MarketNet or the Internet.”
- (B) 5.5.9 Flow Control Management section as appropriate. Remove references to “opt in” Clauses (e) (f) (h) (n) should now read:

(e) The SMP Hub will also provide the functionality for Participants to opt in to webservice alerts for Stop Files (when they are added and removed) for Participants using webservices.

(f) AEMO must ensure that when the number of unacknowledged B2B messages in a Participant webservices queue exceeds a configurable warning level (Water Mark - Warn), the SMP Hub issues an alert to the Participants (if opted in to) via the webservice invocation.

(h) AEMO must ensure that when the number of unacknowledged B2B Messages in a Participant webservice queue exceeds a configurable level (Water Mark - High), the SMP Hub will issue an alert to Participants (if opted in to) via the webservice invocation.

(n) The SMP Hub will invoke a webservice call to notify Participants (if opted in to) of the removal of Stop Files.