

IIR response template for IN003/20 (Gas Life Support) – Responses to be emailed to grcf@aemo.com.au by due **COB (AEST) Monday 1 June 2020**.

Review comments submitted by: Origin Energy

Date: 28th May, 2020

Contact Person: *Mario logha*

Please complete sections 1 and 2.

Section 1 - General Comments on the Proposed Procedure Change

Topic	Please Provide Response Here
<p>Sections 1 to 8 of the IIR sets out <u>AEMO's critical examination of the proposal</u>.</p> <p>Does your organisation support AEMO's examination of the proposal?</p> <p>If no, please specify areas in which your organisation disputes AEMO's examination of the proposal and include information that supports your organisation's rationale for not supporting AEMO's examination.</p>	<p>Whilst we reiterate this initiative is a net cost for Origin, we acknowledge the approach AEMO have taken to examine the overall industry net cost estimate and the support received from participants.</p>
<p>Section 9 of the IIR sets out <u>AEMO's recommendation</u>.</p> <p>Does your organisation support AEMO's position to recommend the procedure changes?</p>	<p>Origin recommends AEMO implements this IIR post Q4 2021 due to several Retail initiatives currently being prioritised. Q4 2022 is the optimum time to implement Gas Life Support.</p> <p>The deferral of 5MS is proposed for 1 July 2022. Should this rule change take affect this presents a risk to deliver Gas Life Support prior to 1 July 2022. Compounding this are other initiatives, such as Wholesale Demand Response, Energy Consumer Rights, MSATS</p>

	<p>SD review (including Planned Interruption) and Customer Switching are proposed to be delivered 2021 or spill into 2022. Therefore, Q4, 2022 or later presents the least risk and optimal time to deliver for Gas Life Support. In addition, all gas market changes should be grouped together across East Coast and WA to align schemas at the same time.</p>

Section 2 - Feedback on the documentation changes described the Attachments of the IIR.

Participants are to complete the relevant columns below in order to record their response.

Ref #1 – Participant Build Pack - Process Flow Table of Transactions

Section #	Issue / Comment	Proposed text Red strikeout means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Participants are to complete the relevant columns below in order to record their response.

Ref #2 - Participant Build Pack 3 - Interface Definitions

Section #	Issue / Comment	Proposed text Red strikeout means delete and blue <u>underline</u> means insert	AEMO Response (AEMO only)
4.7.2	Transaction Data Elements – Life Support Equipment. If there is no medical confirmation provided by the customer, it is likely participants will not have details of LS equipment. Therefore, to avoid any confusion, it be optional to include the LS equipment only if the customer has informed the retailer/DB when initially advising of LS requirements.	Required if LifeSupportStatus is <ul style="list-style-type: none"> • Registered – No Medical Confirmation • Registered – Medical Confirmation Optional if if LifeSupportStatus is <ul style="list-style-type: none"> • <u>Registered – No Medical Confirmation</u> 	

Participants are to complete the relevant columns below in order to record their response.

Ref #3 - Gas Interface Protocol - Victoria

Section #	Issue / Comment	Proposed text Red strik means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Participants are to complete the relevant columns below in order to record their response.

Ref #4 - Gas Interface Protocol - Queensland

Section #	Issue / Comment	Proposed text Red strik means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Participants are to complete the relevant columns below in order to record their response.

Ref #5 - Participants Build Pack 5 - The NSW/ACT specific Participant Build Pack 5.

Section #	Issue / Comment	Proposed text Red strikeout means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Participants are to complete the relevant columns below in order to record their response.

Ref #6 - Participants Build Pack 6 - The NSW/ACT Wagga Wagga and Tamworth specific Participant Build Pack 6.

Section #	Issue / Comment	Proposed text Red strik means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Participants are to complete the relevant columns below in order to record their response.

Ref# 7 - Gas Interface Protocol – NSW/ACT

RMP clause #	Issue / Comment	Proposed text Red strik means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Participants are to complete the relevant columns below in order to record their response.

Ref #8 - AEMO Specification Pack - FRC B2B System Interface Definitions.

Section #	Issue / Comment	Proposed text Red strik means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)
4.7.2	<p>Transaction Data Elements – Life Support Equipment.</p> <p>If there is no medical confirmation provided by the customer, it is likely participants will not have details of LS equipment.</p> <p>Therefore, to avoid any confusion, it be optional to include the LS equipment only if the customer has informed the retailer/DB when initially advising of LS requirements.</p>	<p>Required if LifeSupportStatus is</p> <ul style="list-style-type: none"> • Registered – No Medical Confirmation • Registered – Medical Confirmation <p><u>Optional if if LifeSupportStatus is</u></p> <ul style="list-style-type: none"> • <u>Registered – No Medical Confirmation</u> 	

Participants are to complete the relevant columns below in order to record their response.

Ref #9 - AEMO Specification Pack- Specification Pack Usage Guidelines

Section #	Issue / Comment	Proposed text Red strik means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)